Available online at www.sciencedirect.com

SCIENCE DIRECT®

Surgical Neurology 64 (2005) 553–562

SURGICAL NEUROLOGY

www.surgicalneurology-online.com

Author Index

A

Agbaje-Williams M. *See* Yarnitsky D

Ahn YH. *See* Cho KH

Akimura T. *See* Noto S

Alaraj A. *See* Skaf G

Alaraj AM, Chamoun RB, Dahdaleh NS, Sfeir PM, Miski MS, Otrock ZK, Skaf GS. Thoracic splenosis mimicking thoracic schwannoma: case report and review of the literature, 185

Albanese V. *See* Nicoletti GF

Aldrete JA. *See* Ghaly RF

Ampil F. *See* Jawahar A

Andrews C. The Oxiplex/SP Gel-morphine compound after lumbar microdiscectomy in the management of postoperative pain. Report of 20 cases, 79-com

Andrews DW. *Gamma knife radiosurgery: European standards and perspectives*, 280-br

Andrews DW. Intravascular papillary endothelial hyperplasia at the superior orbital fissure: report of a case successfully treated with gamma knife radiosurgery, 269-com

Arita K. *See* Sakamoto S

Asamoto S, Doi H, Kobayashi N, Endoh T, Sakagawa H, Iwanaga Y, Ida M, Jinbo H. Spondylodiscitis: diagnosis and treatment, 103

Asenbaum S. *See* Reinprecht A

Ausman JI. How can I adapt to a rapidly changing world?, 550-ed

Ausman JI. An introduction to molecular analysis and characterization of gliomas, 285-ed

Ausman JI. Corruption in medicine, 375-ed

Ausman JI. In this issue, 1-ed, 99-ed, 191-ed, 281-ed, 379-ed, 475-ed

Ausman JI. Leonard Malis, 477-en

Ausman JI. The future of neurovascular disease, 189-ed

Ausman JI. Trends in neurosurgery in the United States, 94-ed

Ausman JI. When will targeted drugs reach the consumer market?, 278-ed

Ausman JI. Whom are we kidding?, 346-ed

Ausman RK. The high price of innovation, 91-com

Awad IA. Management of patients with cavernous angiomas presenting epileptic seizures, 498-com

Aydin S, Hanimoglu H, Tanriverdi T, Yentur E, Kaynar MY. Chiari type I malformations in adults: a morphometric analysis of the posterior cranial fossa, 237

B

Bapuraj R. *See* Chhabra R

Baron EM, Loftus CM. Effects of the free radical scavenger, edaravone, on the development of postoperative cognitive impairment in patients undergoing carotid endarterectomy, 313-com

Bartels RHMA. Re: The controversial arcade of Struthers, 474-le

Barut Ş, Ünlü YA, Karağlan A, Tunçdemir M, Dağistanli FK, Öztürk M, Çolak A. The neuroprotective effects of z-DEVD.fmk, a caspase-3 inhibitor, on traumatic spinal cord injury in rats, 213

Batjer HH. *See* O'Shaughnessy BA

Bean JR. Costs of postoperative cerebrospinal fluid leakage: 1-year, retrospective analysis of 412 consecutive nontrauma cases, 493-com

Beaumont A. *See* Lidar Z

Belber CJ. Re: Combination treatment of vertebral metatases using image-guide percutaneous radiofrequency ablation and vertebroplasty: a case report, 377-le

Bendok BR. *See* O'Shaughnessy BA

Benzel EC. Clinical and radiological relationship between posterior lumbar interbody fusion and posterolateral lumbar fusion, 308-com

Berger MS. Gliomas: advances in molecular analysis and characterization, 294-com

Bermejo J. *See* Martínez-Lage JF

Bilge T. *See* Gül Ş

Bilgiç S. *See* Kıratlı H

Bocchetti A. *See* Spennato P

Bouclaous C. *See* Skaf G

Boudreau CR, Yang I, Liau LM. Gliomas: advances in molecular analysis and characterization, 286

Brew S. *See* Gnanalingham KK

Brotchi J. Cervicothoracic spinal epidural cavernous hemangioma: case report and review of the literature, 85-com

0090-3019/$ – see front matter
doi:10.1016/$0090-3019(05)00721-4

Buhl R, Huang H, Gottwald B, Mihajlovic Z, Mehdorn HM. Neuropsychological findings in patients with intraventricular tumors, 500
Bulur B. *See* Kıratlı H
Burnett MG. *See* Simon SL
Burton CV. Clinical and radiological relationship between posterior lumbar interbody fusion and posterolateral lumbar fusion, 308-com

C
Calisaneller T. *See* Lin C-L
Campbell P. *See* Jawahar A
Campbell PG, Jawahar A, Fowler MR, DeLaune A, Nanda A. Primary central nervous system lymphoma of the brain stem responding favorably to radiosurgery: A case report and literature review, 400
Carvi y Nievas M, Toktamis S, Höllerhage H-G, Haas E, Pöllath A. Evaluation of invasiveness and efficacy of 2 different keyhole approaches to large basal ganglia hematomas, 253
Çelik SE. *See* Gül Ş
Chacko AG. *See* Singh AD
Chacko G. *See* Singh AD
Chamoun R. *See* Skaf G
Chamoun RB. *See* Alaraj AM
Chang H-W. *See* Wang K-W
Chang W-N. *See* Wang K-W
Chen C-C. *See* Cho D-Y
Chen J-F. *See* Lee S-T
Chen J-T. *See* Hsieh P-C
Chhabra R, Gupta SK, Mohindra S, Mukherjee K, Bapuraj R, Khandelwal N, Khosla VK. Distal anterior cerebral artery aneurysms: bifrontal basal anterior interhemispheric approach, 315
Chibbaro S, Selem M, Tacconi L. Cervicothoracolumbar pneumorachis. Case report and review of the literature, 80
Chicoine MR. *See* Leuthardt EC
Cho D-Y, Lee W-Y, Lee H-C, Chen C-C, Tso M. Application of neuronavigator coupled with an operative microscope and electrocorticography in epilepsy surgery, 411
Cho D-Y. *See* Hsieh P-C
Cho KG. *See* Cho KH
Cho KH, Shin YS, Yoon SH, Kim SH, Ahn YH, Cho KG. Poor surgical technique in cervical plating leading to vertebral artery injury and brain stem infarction-case report, 221
Clatterbuck R. *See* Woodworth GF
Coffey RJ. Radiosurgery for dural arteriovenous fistulas, 398-com
Cohen JE, Rajz G, Itshayek E, Umansky F, Gomori JM. Endovascular management of exsanguinating vertebral artery transection, 331
Çokar N. *See* Gül Ş
Çolak A. *See* Barut Ş
Cole HC. Contralateral meningeal artery supply of paramedian meningiomas, 248-com
Cole HO. Bilateral chronic subdural hematoma cases showing rapid and progressive aggravation, 449-com
Comans EFI. *See* Noske DP
Contratti F. *See* Fraioli MF
Contreras MA. *See* Martínez-Lage JF
Couldwell WT. The impact of subspecialization on postgraduate medical education in neurosurgery, 387-com
Czech T. *See* Reinprecht A

D
Dağistanli FK. *See* Barut Ş
Dahdaleh NS. *See* Alaraj AM
Dai L-Y, Zhou Q, Yao W-F, Shen L. Recurrent lumbar disc herniation after discectomy: outcome of repeat discectomy, 226
de Sousa AA. The impact of subspecialization on postgraduate medical education in neurosurgery, 389-com
de Vries J. *See* Hengstman GJD
Debrun G. A novel approach to direct carotid cavernous fistula repair: HydroCoil-assisted revision after balloon reconstruction, 143-com
Debrun G. Brain stem ischemia from intracranial dural arteriovenous fistula: Case report, 345-com
Debrun G. Complications of endovascular treatment of cerebral aneurysms, 18-com
Debrun G. Endovascular management of exsanguinating vertebral artery transection, 334-com
Debrun G. The long-term effects of transluminal balloon angioplasty for vasospasms after subarachnoid hemorrhage: analyses of cerebral blood flow and reactivity, 127-com
Debrun G. Transarterial coil embolization of a high-flow vertebrojugular fistula due to penetrating craniocervical trauma: case report, 340-com
Debrun G. Urgent treatment of severe subarachnoid hemorrhage caused by ruptured traumatic aneurysm of the cavernous internal carotid artery using coil embolization followed by superficial temporal artery-middle cerebral artery anastomosis: A case report, 454-com
Delashaw JB. Papillary endothelial hyperplasia (Masson tumor) of the petrous and jugulare region: case report and literature review, 60-com
DeLaune A. *See* Campbell PG
Dellabadia J Jr. *See* Patwardhan RV
Dhillon GS. *See* Ross IB
Di Rocco C. The impact of subspecialization on postgraduate medical education in neurosurgery, 387-com
Dickey P. Cerebral microdialysis and positron emission tomography after surgery for aneurysmal subarachnoid hemorrhage in grade I patients, 115-com
Dirven CMF. *See* Noske DP
Doi H. *See* Asamoto S

Dorsch NWC. Reversal of cerebral vasospasm by sphenopalatine ganglion stimulation in a dog model of subarachnoid hemorrhage, 11-com
Dumont AS. *See* Lin C-L

E
Endo H, Shimizu H, Tominaga T. Paraparesis associated with ruptured anterior cerebral artery territory aneurysms, 135
Endo H. *See* Ogasawara K
Endo S. *See* Hori E
Endoh T. *See* Asamoto S
Epstein NE. A review of the risks and benefits of differing prophylaxis regimens for the treatment of deep venous thrombosis and pulmonary embolism in neurosurgery, 295

F
Fager CA. Platania N, Albanese V. Smooth dissection of ligamentum flavum for lumbar microdiscectomy. Preliminary report of this personal technique, 235-com
Fahlbusch R. *See* Nimsky C
Fang H-Y, Ko W-J, Lin C-Y. Plasma interleukin 11 levels correlate with outcome of spontaneous intracerebral hemorrhage, 511
Faria MA Jr. Enhancing medical care in the United States via health savings accounts, 276-ed
Faria MA Jr. Is there a natural right to medical care?, 471-ed
Fieggen AG. *See* Figaji AA
Figaji AA, Fieggen AG, Peter JC. Re: Endoscopic third ventriculostomy for chronic hydrocephalus after tuberculous meningitis [Jonathan A, Rajshekhar V. Surg Neurol 63 (2005) 32-35], 95-le
Flickinger JC. *See* Koebbe CJ
Flores LP, Koerbel A, Tatagiba M. Peroneal nerve compression resulting from fibular head osteophyte-like lesions, 249
Floris R. *See* Fraioli MF
Foltz EL. Rapid expansion of a ventral arachnoid cyst after syringo-subarachnoid shunting in the thoracic spinal cord: case report, 89-com
Fowler MR. *See* Campbell PG
Fraioli C. *See* Fraioli MF
Fraioli MF, Contratti F, Fraioli C, Floris R. Percutaneous computed tomography-guided technique to close postsurgical cerebrospinal fluid fistulas of the frontal sinus, 351
French LA. Platania N, Albanese V. Smooth dissection of ligamentum flavum for lumbar microdiscectomy. Preliminary report of this personal technique, 236-com
Frösen J. *See* Hernesniemi J
Fujii M. *See* Noto S
Fujisawa H. *See* Noto S
Fujiwara N. *See* Hoshino T
Fujiwara T. *See* Satoh M
Fukaya C. *See* Hoshino T
Fukuda T. *See* Ogasawara K
Fukui M. A ruptured middle cerebral artery aneurysm originating from the site of anastomosis 20 years after extracranial-intracranial bypass for moyamoya disease: case report, 265-com

G
Gailloud P. *See* Woodworth GF
Gaviria M. *Neurobiology of attention*, 378-br
Ghaly RF, Aldrete J A. Critical look at the legalization of the liberal use of high-dose narcotics: is this a reality?, 480-ed
Gharabaghi A, Koerbel A, Samii A, Safavi-Abbasi S, Tatagiba M, Samii M. Epidermoid cysts of the cavernous sinus, 428
Giannini C. *See* Wetjen NM
Girbes ARJ. *See* Noske DP
Gnanalingham KK, Lafuente J, Brew S, Thompson D, Harkness W, Hayward R. Percutaneous coagulation of choroid plexus to unblock the ventricular catheter using the Seldinger technique: preliminary report, 440
Gobin YP. Outcome of surgical clipping for ruptured, low-grade, anterior circulation cerebral aneurysms: should clipping be omitted after International Subarachnoid Aneurysm Trial?, 509-com
Gomori JM. *See* Cohen JE
Gons RAR. *See* Hengstman GJD
Goodrich JT. Frontal skull base surgery combined with endonasal endoscopic sinus surgery, 49-com
Gottwald B. *See* Buhl R
Green BA. *See* Jea A
Grier L. *See* Patwardhan RV
Grotenhuis JA. Costs of postoperative cerebrospinal fluid leakage: 1-year, retrospective analysis of 412 consecutive nontrauma cases, 490
Grubb RL Jr. *See* Leuthardt EC
Guerrero MC. *See* Martínez-Lage JF
Gül Ş, Çelik SE, Kalaycı M, Taşyürekli M, Çokar N, Bilge T. Dose-dependent neuroprotective effects of melatonin on experimental spinal cord injury in rats, 355
Gupta SK. *See* Chhabra R

H
Haas E. *See* Carvi y Nievas M; y Nievas MC
Haase J. The impact of subspecialization on postgraduate medical education in neurosurgery, 388-com
Hall WA, Liu H, Truwit CL. Functional magnetic resonance imaging-guided resection of low-grade gliomas, 20
Hamada J-i. *See* Morioka M; Ohmori Y
Hanimoglu H. *See* Aydin S
Harkness W. *See* Gnanalingham KK
Hattori K, Miyachi S, Kobayashi N, Kojima T, Hattori K-I, Negoro M, Yoshida J, Nagasaka T. Contralateral meningeal artery supply of paramedian meningiomas, 242
Hattori K-I. *See* Hattori K

Hayashi N. *See* Hori E
Hayward R. *See* Gnanalingham KK
Hengstman GJD, Gons RAR, Menovsky T, Verduijn Lunel F, van de Vlasakker CJW, de Vries J. Delayed cranial neuropathy after neurosurgery caused by herpes simplex virus reactivation: report of three cases, 67
Hernesniemi J, Niemelä M, Karatas A, Kivipelto L, Ishii K, Rinne J, Ronkainen A, Koivisto T, Kivisaari R, Shen H, Lehecka M, Frösen J, Piippo A, Jääskeläinen JE. Some collected principles of microneurosurgery: simple and fast, while preserving normal anatomy, 195
Hier DB. Recurrence and extension of lobar hemorrhage related to cerebral amyloid angiopathy: multivariate analysis of clinical risk factors, 164-com
Hirano K. *See* Ishii N
Hoff JT. *Advances in technical standards in neurosurgery, vol. 30*, 280-br
Hoff JT. Evaluation of invasiveness and efficacy of 2 different keyhole approaches to large basal ganglia hematomas, 260-com
Hoff JT. Plasma interleukin 11 levels correlate with outcome of spontaneous intracerebral hemorrhage, 517-com
Hoffman WE. Hyperacute measurement of brain-tissue oxygen, carbon dioxide, pH, and intracranial pressure before, during, and after cerebral angiography in patients with aneurysmatic subarachnoid hemorrhage in poor condition, 367-com
Höllerhage H-G. *See* Carvi y Nievas M; y Nievas MC
Honda M, Kitagawa N, Tsutsumi K, Morikawa M, Nagata I, Kaminogo M. Magnetic resonance angiography evaluation of external carotid artery tributaries in moyamoya disease, 325
Hong SB. *See* Takahashi A
Hong S-C. *See* Takahashi A
Hongo K. *See* Iwashita T
Hopkins LN. *See* Sauvageau E
Hori E, Ogiichi T, Hayashi N, Kuwayama N, Endo S. Case report: acute subdural hematoma due to angiographically unvisualized ruptured aneurysm, 144
Horowitz M. *See* Koebbe CJ
Hoshino T, Sakatani K, Katayama Y, Fujiwara N, Murata Y, Kobayashi K, Fukaya C, Yamamoto T. Application of multichannel near-infrared spectroscopic topography to physiological monitoring of the cortex during cortical mapping: technical case report, 272
Hsieh P-C, Cho D-Y, Lee W-Y, Chen J-T. Endoscopic evacuation of putaminal hemorrhage: how to improve the efficiency of hematoma evacuation, 147
Hu W. *See* Yao Y
Huang H. *See* Buhl R
Hunt CD. Costs of postoperative cerebrospinal fluid leakage: 1-year, retrospective analysis of 412 consecutive nontrauma cases, 493-com
Hunt CD. Double concentric craniotomy for a craniocerebral penetrating nail. Case report and technical note, 371-com
Hunt CD. Recurrence and extension of lobar hemorrhage related to cerebral amyloid angiopathy: multivariate analysis of clinical risk factors, 164-com
Hunt CD. Trans-cranial Doppler in severe head injury: Evaluation of pattern of changes in cerebral blood flow velocity and its impact on outcome, 179-com
Hur JW. *See* Kim MS
Husain M, Jha DK, Rastogi M. Angiographic catheter: unique tool for neuroendoscopic surgery, 546
Hwong S-L. *See* Lin C-L

I

Ida M. *See* Asamoto S
Iijima A. *See* Inoue T
Ikeda J. *See* Narita T
Imoto H. *See* Noto S
Inaba K-i. *See* Kurokawa Y
Inagawa T. Recurrent primary intracerebral hemorrhage in Izumo City, Japan, 28
Inoue T, Tsutsumi K, Iijima A, Shinozaki M, Ishida J, Yako K. Urgent treatment of severe subarachnoid hemorrhage caused by ruptured traumatic aneurysm of the cavernous internal carotid artery using coil embolization followed by superficial temporal artery-middle cerebral artery anastomosis: A case report, 450
Inoue T. *See* Ogasawara K
Ishida J. *See* Inoue T
Ishihara T. *See* Izumihara A
Ishii K. *See* Hernesniemi J
Ishii N, Ishii R, Yoshii I, Sekihara Y, Suzuki Y, Hirano K, Mohri Y, Yokosuka K. Resection of arteriovenous malformation in the middle cerebellar peduncle by a posterior transpetrosal approach: illustration of a case and correlative microsurgical anatomy, 50
Ishii N. *See* Narita T
Ishii R. *See* Ishii N
Ishizaki E. *See* Kurokawa Y
Itshayek E. *See* Cohen JE
Iwai Y, Yamanaka K, Yoshimura M. Gamma knife radiosurgery for cavernous sinus metastases and invasion, 406
Iwanaga Y. *See* Asamoto S
Iwasaki Y. *See* Narita T
Iwashita T, Kitazawa K, Koyama J-I, Nagashima H, Koyama T, Tanaka Y, Hongo K. A saccular-like dissecting aneurysm of the anterior cerebral artery that developed 2 years after an ischemic event, 538
Izumihara A, Suzuki M, Ishihara T. Recurrence and extension of lobar hemorrhage related to cerebral amyloid angiopathy: multivariate analysis of clinical risk factors, 160

J

Jääskeläinen JE. *See* Hernesniemi J
Jacobs C. *See* Roser F

Jaeger M. *See* Meixensberger J
James CD. Gliomas: advances in molecular analysis and characterization, 294-com
Jawahar A, Shaya M, Campbell P, Ampil F, Willis BK, Smith D, Nanda A. Role of stereotactic radiosurgery as a primary treatment option in the management of newly diagnosed multiple (3-6) intracranial metastases, 207
Jawahar A. *See* Campbell PG
Jea A, Navarro R, Green BA. Rapid expansion of a ventral arachnoid cyst after syringo-subarachnoid shunting in the thoracic spinal cord: case report, 86
Jha DK. *See* Husain M; Ojha BK
Jinbo H. *See* Asamoto S
Jonathan A. *See* Rajshekhar V
Judkins AR. *See* Simon SL
Judy KD. *See* Simon SL
Jung S. *See* Lee J-M
Jung T-Y. *See* Lee J-M
Juvela S. Recurrent primary intracerebral hemorrhage in Izumo City, Japan, 35-com

K
Kai Y. *See* Morioka M
Kajiwara K. *See* Noto S
Kalaycı M. *See* Gül Ş
Kale SS. *See* Ojha BK
Kaminogo M. *See* Honda M
Kang S-S. *See* Lee J-M
Kanpolat Y. Delayed cranial neuropathy after neurosurgery caused by herpes simplex virus reactivation: report of three cases, 69-com
Kao M-C. Application of neuronavigator coupled with an operative microscope and electrocorticography in epilepsy surgery, 417-com
Kao M-C. Delayed cranial neuropathy after neurosurgery caused by herpes simplex virus reactivation: report of three cases, 69-com
Karaoğlan A. *See* Barut Ş
Karatas A. *See* Hernesniemi J
Katayama Y. *See* Hoshino T
Kato S. *See* Noto S
Kawahara N. Plasma interleukin 11 levels correlate with outcome of spontaneous intracerebral hemorrhage, 518-com
Kaynar MY. *See* Aydin S
Kerr RSC. Outcome of surgical clipping for ruptured, low-grade, anterior circulation cerebral aneurysms: should clipping be omitted after International Subarachnoid Aneurysm Trial?, 510-com
Khandelwal N. *See* Chhabra R
Khosla VK. *See* Chhabra R
Kim I-M, Yim M-B, Lee C-Y, Kim J-B. Three-dimensional computed tomography-guided multitract aspiration of extensive ganglionic hemorrhage: technical note, 519
Kim I-Y. *See* Lee J-M
Kim J-B. *See* Kim I-M
Kim MS, Oh CW, Hur JW, Lee J-W, Lee HK. Aneurysms located at the proximal anterior cerebral artery and anterior communicating artery associated with middle cerebral artery aplasia: case report, 534
Kim SH. *See* Cho KH
Kıratlı H, Bulur B, Bilgiç S. Transconjunctival approach for retrobulbar intraconal orbital cavernous hemangiomas. Orbital surgeon's perspective, 71
Kitagawa N. *See* Honda M
Kitazawa K. *See* Iwashita T
Kiura Y. *See* Sakamoto S
Kivipelto L. *See* Hernesniemi J
Kivisaari R. *See* Hernesniemi J
Knol DL. *See* Noske DP
Ko W-J. *See* Fang H-Y
Kobayashi H. *See* Narita T
Kobayashi K. *See* Hoshino T
Kobayashi M. *See* Ogasawara K
Kobayashi N. *See* Asamoto S; Hattori K
Kobayashi S. *See* Murai Y
Kodama N. A ruptured middle cerebral artery aneurysm originating from the site of anastomosis 20 years after extracranial-intracranial bypass for moyamoya disease: case report, 265-com
Kodama N. Cerebral microdialysis and positron emission tomography after surgery for aneurysmal subarachnoid hemorrhage in grade I patients, 115-com
Kodama N. Distal anterior cerebral artery aneurysms: bifrontal basal anterior interhemispheric approach, 320-com
Kodama N. The impact of subspecialization on postgraduate medical education in neurosurgery, 388-com
Kodama Y. *See* Nishimoto T
Koebbe CJ, Singhal D, Sheehan J, Flickinger JC, Horowitz M, Kondziolka D, Lunsford LD. Radiosurgery for dural arteriovenous fistulas, 392
Koerbel A. *See* Flores LP; Gharabaghi A
Kohmura E. *See* Nakamura Y
Koivisto T. *See* Hernesniemi J
Kojima T. *See* Hattori K
Kominami S. *See* Murai Y
Kondziolka D. *See* Koebbe CJ
Konstantin S. The Oxiplex/SP Gel-morphine compound after lumbar microdiscectomy in the management of postoperative pain. Report of 20 cases, 78-com
Koyama J-I. *See* Iwashita T
Koyama T. *See* Iwashita T
Kuitwaard K, Vandertop WP. A patient with an odontoid fracture and atrophy of the tongue, 525
Kuratsu J-i. *See* Morioka M
Kurisu K. *See* Nishimoto T; Sakamoto S
Kuriyama M. *See* Satoh M
Kurokawa Y, Ishizaki E, Inaba K-i. Bilateral chronic subdural hematoma cases showing rapid and progressive aggravation, 444

Kuwayama N. *See* Hori E
Kwan A-L. *See* Lin C-L

L
Lafuente J. *See* Gnanalingham KK
Laidlaw JD. Thoracic splenosis mimicking thoracic schwannoma: case report and review of the literature, 188-com
Lee C-Y. *See* Kim I-M
Lee H-C. *See* Cho D-Y
Lee HK. *See* Kim MS
Lee J-K. *See* Lee J-M
Lee J-M, Jung S, Moon K-S, Seo J-J, Kim I-Y, Jung T-Y, Lee J-K, Kang S-S. Preoperative evaluation of venous systems with 3-dimensional contrast-enhanced magnetic resonance venography in brain tumors: comparison with time-of-flight magnetic resonance venography and digital subtraction angiography, 128
Lee J-W. *See* Kim MS
Lee KS. *See* Lin C-L
Lee M. *See* Takahashi A
Lee S-T, Chen J-F, Wu C-T. Response, 97-le
Lee W-Y. *See* Cho D-Y; Hsieh P-C
Lehecka M. *See* Hernesniemi J
Lekovic GP. The high price of innovation, 90-ed
Leuthardt EC, Chicoine MR, Grubb RL Jr. Ventricular catheter tack-down suture: Technical note, 270
Li G. *See* Yao Y
Liau LM. *See* Boudreau CR
Lidar Z, Beaumont A, Lifshutz J, Maiman DJ. Clinical and radiological relationship between posterior lumbar interbody fusion and posterolateral lumbar fusion, 303
Lifshutz J. *See* Lidar Z
Lin C-L, Dumont AS, Calisaneller T, Kwan A-L, Hwong S-L, Lee KS. Monoclonal antibody against E selectin attenuates subarachnoid hemorrhage-induced cerebral vasospasm, 201
Lin C-Y. *See* Fang H-Y
Link MJ. *See* Wetjen NM
Liu H. *See* Hall WA; Yao Y
Loftus CM. *See* Baron EM
Long DM. Occipitoparietal benign osteoblastoma: should entire lesion be resected when magnetic resonance images reveal wide abnormal signal intensity in surrounding bone marrow?, 184-com
Long DM. Plasma cell tumors of the skull, 438-com
Long DM. The impact of subspecialization on postgraduate medical education in neurosurgery, 386-com
Lorian A. *See* Yarnitsky D
Lu C-H. *See* Wang K-W
Lunar A. *See* Martínez-Lage JF
Lunsford LD. Gamma knife radiosurgery for cavernous sinus metastases and invasion, 410-com
Lunsford LD. Primary central nervous system lymphoma of the brain stem responding favorably to radiosurgery: A case report and literature review, 405
Lunsford LD. *See* Koebbe CJ

M
Macdonald RL. A review of the risks and benefits of differing prophylaxis regimens for the treatment of deep venous thrombosis and pulmonary embolism in neurosurgery, 302-com
Macdonald RL. Low cerebrovascular reserve capacity in long-term follow-up after subarachnoid hemorrhage, 121-com
Macdonald RL. *See* Yarnitsky D
Maeda M. *See* Mori K
Mafee MF. Preoperative evaluation of venous systems with 3-dimensional contrast-enhanced magnetic resonance venography in brain tumors: comparison with time-of-flight magnetic resonance venography and digital subtraction angiography, 133-com
Maiman DJ. *See* Lidar Z
Malisch TW. *See* Marden FA
Mao Y. *See* Zhang R; Zhou L-F
Marden FA, Sinha Roy S, Malisch TW. A novel approach to direct carotid cavernous fistula repair: HydroCoil-assisted revision after balloon reconstruction, 140
Maroon JC. The high price of innovation, 92-com
Marsh WR. Clinical outcome of surgical treatment of failed back surgery syndrome, 488-com
Martínez Pérez M. *See* Martínez-Lage JF
Martínez-Lage JF, Rábano A, Bermejo J, Martínez Pérez M, Guerrero MC, Contreras MA, Lunar A. Creutzfeldt-Jakob disease acquired via a dural graft: failure of therapy with quinacrine and chlorpromazine, 542
Martins RS. *See* Siqueira MG
Mastronardi L, Pappagallo M, Tatta C. The Oxiplex/SP Gel-morphine compound after lumbar microdiscectomy in the management of postoperative pain. Report of 20 cases, 75
Matsushima T. Intradural jugular tuberclectomy in a case of inadequate extradural removal, 350-com
Mayuzumi H. *See* Narita T
McGirt MJ. *See* Woodworth GF
Mehdorn HM. *See* Buhl R
Mehta VS. *See* Ojha BK
Meixensberger J, Jaeger M. Hyperacute measurement of brain-tissue oxygen, carbon dioxide, pH, and intracranial pressure before, during, and after cerebral angiography in patients with aneurysmatic subarachnoid hemorrhage in poor condition, 367-com
Menovsky T. *See* Hengstman GJD
Meyer FB. Radiosurgery for dural arteriovenous fistulas, 399-com
Mihajlovic Z. *See* Buhl R
Milhorat TH. Chiari type I malformations in adults: a morphometric analysis of the posterior cranial fossa, 241

Minh NH. Cervicothoracic spinal epidural cavernous hemangioma: case report and review of the literature, 83
Mirone G. *See* Spennato P
Miski MS. *See* Alaraj AM
Miyachi S. *See* Hattori K
Mizunari T. *See* Murai Y
Mohindra S. *See* Chhabra R
Mohri Y. *See* Ishii N
Moon K-S. *See* Lee J-M
Moonis G. *See* Simon SL
Mori K, Nakao Y, Yamamoto T, Maeda M. Intradural jugular tuberclectomy in a case of inadequate extradural removal, 347
Morikawa M. *See* Honda M
Morioka M, Hamada J-i, Yano S, Kai Y, Ogata N, Yumoto E, Ushio Y, Kuratsu J-i. Frontal skull base surgery combined with endonasal endoscopic sinus surgery, 44
Morioka M. *See* Ohmori Y
Mukherjee K. *See* Chhabra R
Murai Y, Kominami S, Kobayashi S, Mizunari T, Teramoto A. The long-term effects of transluminal balloon angioplasty for vasospasms after subarachnoid hemorrhage: analyses of cerebral blood flow and reactivity, 122
Murakami T. *See* Nishimoto T
Murata Y. *See* Hoshino T

N
Nagasaka T. *See* Hattori K
Nagashima H. *See* Iwashita T
Nagata I. *See* Honda M
Nakamura M. *See* Roser F
Nakamura Y, Kohmura E. Outcome of surgical clipping for ruptured, low-grade, anterior circulation cerebral aneurysms: should clipping be omitted after International Subarachnoid Aneurysm Trial?, 504
Nakao Y. *See* Mori K
Nakayashiki N. *See* Ohshima T
Nanda A. *See* Campbell PG; Jawahar A; Patwardhan RV
Narita T, Ishii N, Mayuzumi H, Kobayashi H, Ikeda J, Iwasaki Y. Occipitoparietal benign osteoblastoma: should entire lesion be resected when magnetic resonance images reveal wide abnormal signal intensity in surrounding bone marrow?, 180
Natale M. *See* Spennato P
Navarro R. *See* Jea A
Negoro M. *See* Hattori K
Nichols DA. *See* Wetjen NM
Nicoletti GF, Platania N, Albanese V. Smooth dissection of ligamentum flavum for lumbar microdiscectomy. Preliminary report of this personal technique, 232
Niemelä M. *See* Hernesniemi J
Nimsky C, Fahlbusch R. Functional magnetic resonance imaging-guided resection of low-grade gliomas, 27-com
Nishimoto T, Yuki K, Sasaki T, Murakami T, Kodama Y, Kurisu K. A ruptured middle cerebral artery aneurysm originating from the site of anastomosis 20 years after extracranial-intracranial bypass for moyamoya disease: case report, 261
Nomura S. *See* Noto S
Noske DP, Peerdeman SM, Comans EFI, Dirven CMF, Knol DL, Girbes ARJ, Vandertop WP. Cerebral microdialysis and positron emission tomography after surgery for aneurysmal subarachnoid hemorrhage in grade I patients, 109
Noto S, Fujii M, Akimura T, Imoto H, Nomura S, Kajiwara K, Kato S, Fujisawa H, Suzuki M. Management of patients with cavernous angiomas presenting epileptic seizures, 495

O
Obeid FN. Thoracic splenosis mimicking thoracic schwannoma: case report and review of the literature, 188-com
Ogasawara K, Yamadate K, Kobayashi M, Endo H, Fukuda T, Yoshida K, Terasaki K, Inoue T, Ogawa A. Effects of the free radical scavenger, edaravone, on the development of postoperative cognitive impairment in patients undergoing carotid endarterectomy, 309
Ogata N. *See* Morioka M
Ogawa A. *See* Ogasawara K
Ogiichi T. *See* Hori E
Ogura K. *See* Ohshima T
Oh CW. *See* Kim MS
Ohba S. *See* Sakamoto S
Ohmori Y, Hamada J-i, Morioka M, Yoshida A. Spinal aneurysm arising from the feeding pedicle of a thoracic perimedullary arteriovenous fistula: case report, 468-cd
Ohshima T, Ogura K, Nakayashiki N, Tachibana E. Intravascular papillary endothelial hyperplasia at the superior orbital fissure: report of a case successfully treated with gamma knife radiosurgery, 266
Ojha BK, Jha DK, Kale SS, Mehta VS. Trans-cranial Doppler in severe head injury: Evaluation of pattern of changes in cerebral blood flow velocity and its impact on outcome, 174
Okazaki T. *See* Sakamoto S
Oner FC. *See* Verlaan JJ
O'Shaughnessy BA, Bendok BR, Parkinson RJ, Shaibani A, Batjer H H. Transarterial coil embolization of a high-flow vertebrojugular fistula due to penetrating craniocervical trauma: case report, 335
Otrock ZK. *See* Alaraj AM
Öztürk M. *See* Barut Ş

P
Pagni CA. A patient with an odontoid fracture and atrophy of the tongue, 532-com
Pappagallo M. *See* Mastronardi L

Parkinson RJ. *See* O'Shaughnessy BA
Patwardhan RV, Dellabadia J Jr., Rashidi M, Grier L, Nanda A. Control of refractory status epilepticus precipitated by anticonvulsant withdrawal using left vagal nerve stimulation: a case report, 170
Pawl R. Clinical outcome of surgical treatment of failed back surgery syndrome, 489-com
Pawl R. *Handbook on the pharmacological management of chronic pain*, 378-br
Pawl RP. A. Critical look at the legalization of the liberal use of high-dose narcotics: is this a reality?, 481-com
Pawl RP. Recurrent lumbar disc herniation after discectomy: outcome of repeat discectomy, 231-com
Pawl RP. Spondylodiscitis: diagnosis and treatment, 108-com
Peerdeman SM. *See* Noske DP
Peter JC. *See* Figaji AA
Pierre Gobin Y. Complications of endovascular treatment of cerebral aneurysms, 19-com
Piippo A. *See* Hernesniemi J
Platania N. *See* Nicoletti GF
Podreka I. *See* Reinprecht A
Pöllath A. *See* Carvi y Nievas M
Pool L. Preludes to a 96th birthday, 372-ed
Portnoy HD. Rapid expansion of a ventral arachnoid cyst after syringo-subarachnoid shunting in the thoracic spinal cord: case report, 89-com
Portnoy HD. The high price of innovation, 92-com
Psarros T, Samson D. Staged bilateral vertebral artery occlusion for ruptured dissecting aneurysms of the basilar artery: a report of 2 cases, 461-com

R
Rábano A. *See* Martínez-Lage JF
Rajshekhar V, Jonathan A. Response, 95-le
Rajshekhar V. *See* Singh AD
Rajz G. *See* Cohen JE
Rashidi M. *See* Patwardhan RV
Rastogi M. *See* Husain M
Reimer R. *See* Wetjen NM
Reinprecht A, Czech T, Asenbaum S, Podreka I, Schmidbauer M. Low cerebrovascular reserve capacity in long-term follow-up after subarachnoid hemorrhage, 116
Richard Marsh W. Application of neuronavigator coupled with an operative microscope and electrocorticography in epilepsy surgery, 418-com
Riina HA. *See* Simon SL
Rinne J. *See* Hernesniemi J
Roitberg B. Peroneal nerve compression resulting from fibular head osteophyte-like lesions, 252-com
Roitberg B. Research news and notes, 3-ed, 101-ed, 193-ed, 283-ed, 381-ed, 478-ed
Roitberg B. The high price of innovation, 92-com
Roitberg B. The impact of subspecialization on postgraduate medical education in neurosurgery, 389-com
Roitberg B. The neuroprotective effects of z-DEVD.fmk, a caspase-3 inhibitor, on traumatic spinal cord injury in rats, 220-com
Ronkainen A. *See* Hernesniemi J
Roser F, Nakamura M, Jacobs C, Vorkapic P, Samii M. Sphenoid wing meningiomas with osseous involvement, 37
Ross IB, Dhillon GS. Complications of endovascular treatment of cerebral aneurysms, 12
Rotondo M. *See* Spennato P

S
Safavi-Abbasi S. *See* Gharabaghi A
Saito N. A saccular-like dissecting aneurysm of the anterior cerebral artery that developed 2 years after an ischemic event, 541-com
Saito N. Is decompressive craniectomy for malignant middle cerebral artery territory infarction of any benefit for elderly patients?, 169-com
Saito N. Plasma interleukin 11 levels correlate with outcome of spontaneous intracerebral hemorrhage, 518-com
Sakagawa H. *See* Asamoto S
Sakamoto S, Ohba S, Shibukawa M, Kiura Y, Okazaki T, Arita K, Kurisu K. Staged bilateral vertebral artery occlusion for ruptured dissecting aneurysms of the basilar artery: a report of 2 cases, 456
Sakatani K. *See* Hoshino T
Samii A. *See* Gharabaghi A
Samii M. *See* Gharabaghi A; Roser F
Samson D. *See* Psarros T
Samson DS. Clinical presentation and surgical management of dissecting posterior inferior cerebellar artery aneurysms: 2 case reports, 467-com
Sasaki T. *See* Nishimoto T
Satoh M, Kuriyama M, Fujiwara T, Tokunaga K, Sugiu K. Brain stem ischemia from intracranial dural arteriovenous fistula: Case report, 341
Sauvageau E, Hopkins LN. The long-term effects of transluminal balloon angioplasty for vasospasms after subarachnoid hemorrhage: analyses of cerebral blood flow and reactivity, 127-com
Savarese L. *See* Spennato P
Schmidbauer M. *See* Reinprecht A
Scobie J. *See* Simon SL
Sekihara Y. *See* Ishii N
Selem M. *See* Chibbaro S
Sen C, Shrivastava RK. Sphenoid wing meningiomas with osseous involvement, 43-com
Sen C. Epidermoid cysts of the cavernous sinus, 433-com
Seo DW. *See* Takahashi A
Seo J-J. *See* Lee J-M
Sethi N. *See* Torgovnick J
Sfeir PM. *See* Alaraj AM
Shaibani A. *See* O'Shaughnessy BA
Shalev A. *See* Yarnitsky D
Shaya M. Errata, 279
Shaya M. *See* Jawahar A
Sheehan J. *See* Koebbe CJ
Shen H. *See* Hernesniemi J

Shen L. *See* Dai L-Y
Shibukawa M. *See* Sakamoto S
Shimizu H. *See* Endo H
Shin YS. *See* Cho KH
Shinozaki M. *See* Inoue T
Shrivastava RK. *See* Sen C
Simon SL, Moonis G, Judkins AR, Scobie J, Burnett MG, Riina HA, Judy KD. Intracranial capillary hemangioma: case report and review of the literature, 154
Singh AD, Chacko AG, Chacko G, Rajshekhar V. Plasma cell tumors of the skull, 434
Singhal D. *See* Koebbe CJ
Sinha Roy S. *See* Marden FA
Siqueira MG, Martins RS. Response, 474-le
Skaf G, Bouclaous C, Alaraj A, Chamoun R. Clinical outcome of surgical treatment of failed back surgery syndrome, 483
Skaf GS. *See* Alaraj AM
Slavin K. Endoscopic evacuation of putaminal hemorrhage: how to improve the efficiency of hematoma evacuation, 153-com
Slavin KV. Percutaneous computed tomography-guided technique to close postsurgical cerebrospinal fluid fistulas of the frontal sinus, 353-com
Slavin KV. Three-dimensional computed tomography-guided multitract aspiration of extensive ganglionic hemorrhage: technical note, 524-com
Smith D. *See* Jawahar A
Solomon RA. Paraparesis associated with ruptured anterior cerebral artery territory aneurysms, 139-com
Solomon RA. Resection of arteriovenous malformation in the middle cerebellar peduncle by a posterior transpetrosal approach: illustration of a case and correlative microsurgical anatomy, 54-com
Sotelo J. Clinical relevance of hydrocephalus in bacterial meningitis in adults, 66-com
Sotelo J. Creutzfeldt-Jakob disease acquired via a dural graft: failure of therapy with quinacrine and chlorpromazine, 545-com
Spennato P, Bocchetti A, Mirone G, Savarese L, Squillante D, Rotondo M, Natale M. Double concentric craniotomy for a craniocerebral penetrating nail. Case report and technical note, 368
Squillante D. *See* Spennato P
Sugiu K. *See* Satoh M
Suh Y-L. *See* Takahashi A
Suzuki M. *See* Izumihara A; Noto S
Suzuki Y. *See* Ishii N

T

Tacconi L. *See* Chibbaro S
Tachibana E. *See* Ohshima T
Takahashi A, Hong S-C, Seo DW, Hong SB, Lee M, Suh Y-L. Frequent association of cortical dysplasia in dysembryoplastic neuroepithelial tumor treated by epilepsy surgery, 419
Takahashi M. *See* Yarnitsky D
Tamargo RJ. A saccular-like dissecting aneurysm of the anterior cerebral artery that developed 2 years after an ischemic event, 541-com
Tamargo RJ. Monoclonal antibody against E selectin attenuates subarachnoid hemorrhage-induced cerebral vasospasm, 205-com
Tanaka Y. *See* Iwashita T
Tanriverdi T. *See* Aydin S
Taşyürekli M. *See* Gül Ş
Tatagiba M. *See* Flores LP; Gharabaghi A
Tatta C. *See* Mastronardi L
Teramoto A. *See* Murai Y
Terasaki K. *See* Ogasawara K
TerBrugge KG. Outcome of surgical clipping for ruptured, low-grade, anterior circulation cerebral aneurysms: should clipping be omitted after International Subarachnoid Aneurysm Trial?, 510-com
Thompson D. *See* Gnanalingham KK
Toktamis S. *See* Carvi y Nievas M; y Nievas MC
Tokunaga K. *See* Satoh M
Tominaga T. *See* Endo H
Torgovnick J, Sethi N, Wyss J. Spinal epidural abscess: clinical presentation, management and outcome (Curry WT, Hoh BL, Hanjani SA, et al. Surg Neurol 2005;63:364-71), 279-le
Toyota BD. The impact of subspecialization on postgraduate medical education in neurosurgery, 383
Truwit CL. *See* Hall WA
Tso M. *See* Cho D-Y
Tsutsumi K. *See* Honda M; Inoue T
Tunçdemir M. *See* Barut Ş

U

Umansky F. Epidermoid cysts of the cavernous sinus, 433-com
Umansky F. *See* Cohen JE
Umansky F. The impact of subspecialization on postgraduate medical education in neurosurgery, 390-com
Ünlü YA. *See* Barut Ş
Ushio Y. *See* Morioka M

V

van de Vlasakker CJW. *See* Hengstman GJD
Vandertop WP. *See* Kuitwaard K; Noske DP
Verduijn Lunel F. *See* Hengstman GJD
Verlaan JJ, Oner FC. Percutaneous vertebroplasty for treatment of thoracolumbar spine bursting fracture, 96-le
Vorkapic P. *See* Roser F

W

Wang H-C. *See* Wang K-W
Wang K-W, Chang W-N, Chang H-W, Wang H-C, Lu C-H. Clinical relevance of hydrocephalus in bacterial meningitis in adults, 61
Wang Y. *See* Zhang R

Weiss MH. The impact of subspecialization on postgraduate medical education in neurosurgery, 389-com
Welch WC. A patient with an odontoid fracture and atrophy of the tongue, 533-com
Wetjen NM, Link MJ, Reimer R, Nichols DA, Giannini C. Clinical presentation and surgical management of dissecting posterior inferior cerebellar artery aneurysms: 2 case reports, 462
Willis BK. *See* Jawahar A
Woodworth GF, McGirt MJ, Clatterbuck R, Gailloud P. Evaluation of a distal pericallosal artery aneurysm visualized with 3-dimensional digital subtraction angiography: case report and treatment implications, 321
Wu C-T. *See* Lee S-T
Wyss J. *See* Torgovnick J

Y
y Nievas MC, Toktamis S, Höllerhage H-G, Haas E. Hyperacute measurement of brain-tissue oxygen, carbon dioxide, pH, and intracranial pressure before, during, and after cerebral angiography in patients with aneurysmatic subarachnoid hemorrhage in poor condition, 362
Yako K. *See* Inoue T
Yamadate K. *See* Ogasawara K
Yamamoto T. *See* Hoshino T; Mori K
Yamanaka K. *See* Iwai Y
Yang I. *See* Boudreau CR
Yang X. *See* Yao Y
Yano S. *See* Morioka M
Yao W-F. *See* Dai L-Y
Yao Y, Liu W, Yang X, Hu W, Li G. Is decompressive craniectomy for malignant middle cerebral artery territory infarction of any benefit for elderly patients?, 165
Yarnitsky D, Lorian A, Shalev A, Zhang Z-D, Takahashi M, Agbaje-Williams M, Macdonald R L. Reversal of cerebral vasospasm by sphenopalatine ganglion stimulation in a dog model of subarachnoid hemorrhage, 5
Yentur E. *See* Aydin S
Yim M-B. *See* Kim I-M
Yokosuka K. *See* Ishii N
Yonas H. Is decompressive craniectomy for malignant middle cerebral artery territory infarction of any benefit for elderly patients?, 169-com
Yoon SH. *See* Cho KH
Yoshida A. *See* Ohmori Y
Yoshida J. *See* Hattori K
Yoshida K. *See* Ogasawara K
Yoshii I. *See* Ishii N
Yoshimura M. *See* Iwai Y
Yuki K. *See* Nishimoto T
Yumoto E. *See* Morioka M

Z
Zhang R, Zhou L-F, Mao Y, Wang Y. Papillary endothelial hyperplasia (Masson tumor) of the petrous and jugulare region: case report and literature review, 55
Zhang Z-D. *See* Yarnitsky D
Zhou L-F. *See* Zhang R
Zhou L-F, Mao Y. The impact of subspecialization on postgraduate medical education in neurosurgery, 390-com
Zhou Q. *See* Dai L-Y

Available online at www.sciencedirect.com

SCIENCE DIRECT®

ELSEVIER

Surgical Neurology 64 (2005) 563–572

SURGICAL NEUROLOGY

www.surgicalneurology-online.com

Keyword Index

A
Acetazolamide, for investigation of CVRC, 116
Acquired prion diseases, CJD and other, need for multicenter clinical trial, 542
Activated coagulation time (ACT), monitoring during CEA, reduced surgical risks and complications, S1:6
Acyclovir, intravenous, in treatment of delayed postoperative cranial neuropathy caused by HSV reactivation, 67
Adaptation to rapidly changing world, necessity for physicians/neurosurgeons, 550-ed
"Alien hand syndrome", growing dissecting aneurysm of anterior cerebral artery presenting as, 538
Anatomy
  controversial arcade of Struthers, S1:17
  microsurgical, resection of AVM in middle cerebellar peduncle by posterior transpetrosal approach, 50
Aneurysm(s)
  ACA, distal: bifrontal basal anterior interhemispheric approach, 315
  ACA, proximal, and anterior communicating artery associated with MCA aplasia, 534
  acute subdural hematoma due to angiographically unvisualized ruptured aneurysm, 144
  anterior circulation cerebral, ruptured, low-grade, surgical clipping for, outcome of, 504
  cerebral, complications of endovascular treatment, 12
  cerebral, ET-1 levels in plasma and CSF of patients with, after aneurysmal SAH, S1:2
  coiling of, use of intraarterial balloon expandable stents, 381
  growing dissecting aneurysm of anterior cerebral artery, after ischemic event, 538
  intracranial, coiling *vs* clipping for, 346–ed
  ISAT, midterm analysis on the treatment of ruptured aneurysms, 504
  middle cerebral artery rupture, EC-IC bypass surgery in moyamoya disease, 261
  paraparesis associated with ruptured anterior cerebral artery territory aneurysms, 135
  pericallosal artery, visualized with 3-D DSA: treatment implications, 321
  ruptured VA dissecting aneurysm, intradural jugular tuberclectomy after transcondylar approach, 347
Aneurysm occlusion, with stent, 381
Angiogenesis
  paramedian meningiomas aggressive behavior, contralateral dural supply as predictor of, 242
Angiographic catheter: unique tool for neuroendoscopic surgery, 546
Angiography
  3-D CT, analysis of orientation of hemorrhage, intracerebral/ganglionic, 519
  3 D DSA, morphology and dimensions of intracranial aneurysms, 321
  cerebral, diagnosis of intracranial dural AVF with brain stem infarction, 341
  DSA and TOF MRV, compared with 3D CE MRV, preoperative evaluation of venous systems in brain tumors, 128
  DSA for patients with poor-grade SAH, fluctuations in brain oxygenation of, 362
  MRA, evaluation of external artery tributaries in moyamoya disease, 325
Anterior cerebral artery (ACA)
  growing dissecting aneurysm of, presenting with ischemic event, 538
  proximal, aneurysms arising from, 534
  ruptured, territory aneurysms, paraparesis associated with, 135
Anterior cervical corpectomy with fusion (ACWF), reliable procedure for CSM, S1:36
Antiangiogenesis for brain tumors, 101
Anticonvulsants, for patients with cavernous angiomas presenting epileptic seizures, 495
Antihypertensive and Lipid-Lowering treatment to prevent Heart Attack Trial (ALLHAT), outcome of, 3
Antihypertensive drugs, 3
Apoptosis in spinal cord cell types, inhibition by z-DEVD.fmk, 213
Arachnoid cyst
  ventral, rapid expansion after syringo-subarachnoid shunting in thoracic spinal cord, 86
Arcade of Struthers, potential secondary site of compression of ulnar nerve at the elbow in patients submitted to anterior transposition surgery, S1:17

0090-3019/$ – see front matter
doi:10.1016/S0090-3019(05)00748-2

Arteriovenous fistula (AVF)
dural, radiosurgery for, 392
endovascular coil embolization, 335
intracranial dural, with brain stem infarction, 341
Arteriovenous malformation (AVM), in middle cerebellar peduncle, resection by posterior transpetrosal approach, 50
Aspirin or warfarin, for intracranial arterial stenosis?, 4
Astrocytoma, infiltrating, after surgical resection of LGG, radiation therapy for, 20
Atrophy of tongue, with odontoid fracture, 525

B
Bacterial meningitis, in adults, clinical relevance of hydrocephalus in, 61
Barthel Index (BI) score, decompressive craniectomy for malignant MCA, outcome of, 165
Bell's cruciate paralysis, spinal cord injury described as, 525
Benign osteoblastoma, occipitoparietal, radical resection of, 180
Bone abnormalities in posterior cranial fossa in patients with Chiari type I malformations, 237
BOOK REVIEWS
Advances in technical standards in neurosurgery, Vol. 30, 280
Gamma knife radiosurgery: European standards and perspectives, 280
Handbook on the pharmacological management of chronic pain, 378
Neurobiology of attention, 378
Brain activation imaging, fMRI for LGG, 20
Brain injury, DVT/PE in, inferior vena cava (IVC) filter placement for, 295
Brain injury, posttraumatic temporal lobe lesions, pathophysiology of, S1:22
Brain metastases, multiple, role of stereotactic radiosurgery in management of, 207
Brain scans, demonstration of SAH, 534
Brain stem
infarction, due to poor surgical technique in cervical lateral mass plating, 221
ischemia from intracranial dural arteriovenous fistula, 341
PCNS lymphoma of, response to radiosurgery, 400
Brain tissue oxygenation, hyperacute measurement of, in patients with poor-grade SAH during angiography, 362
Brain tumors
3D CE MRV, preoperative evaluation of venous systems in, 128
antiangiogenesis for, 101
primary, molecular alterations associated with, therapeutic approaches, 286

C
Cancer, cavernous sinus metastases and invasion, gamma knife radiosurgery for, 406
Capillary hemangioma, intracranial, 154
Carotid cavernous fistula (CCF), direct, hydrocoil-assisted revision after balloon reconstruction, 140
Carotid endarterectomy (CEA)
monitoring of activated coagulation time in, S1:6
postoperative cognitive impairment, edaravone to prevent, 309
Caspase-3 inhibitor, z-DEVD.fmk, neuroprotective effects on traumatic spinal cord injury, 213
Cavernous angioma, patients presenting epileptic seizures, management of, 495
Cavernous hemangiomas
cervicothoracic spinal epidural, 83
retrobulbar intraconal orbital removal by transconjunctival approach, 71
Cavernous sinus, epidermoid cysts of, 428
Cavernous sinus metastases, gamma knife radiosurgery for, 406
Central cord syndrome, spinal cord injury described as, 525
Central nervous system, PCNSL of brain stem, response to radiosurgery, 400
Cerebellar peduncle, middle, resection of AVM in, by posterior transpetrosal approach, 50
Cerebral amyloid angiopathy (CAA) related lobar hemorrhage, clinical risk factors for recurrence and extension of, 160
Cerebral blood flow (CBF) and reactivity, analyses of, long-term effects of TBA for vasospasms after SAH, 122
Cerebral blood flow (CBF) velocity, evaluation of pattern of changes in, TCD in severe head injury, 174
Cerebral blood oxygenation (CBO), for monitoring of evoked changes during cortical mapping, NIRS topography for, 272
Cerebral infarction, in dissecting aneurysm of ACA, revealed by CT scan, 538
Cerebral microdialysis and PET after surgery for aneurismal SAH, 109
Cerebral vasospasm (CVS), ET-1 levels in plasma and CSF of patients with, after aneurysmal SAH, S1:2
Cerebral vasospasm
induced by SAH, attenuation by E-selectin antibody, 201
reversal of, by sphenopalatine ganglion stimulation in SAH, 5
Cerebrospinal fluid (CSF)
fistula of frontal sinus, postsurgical, percutaneous CT–guided technique to close, 351
leakage, postoperative complication in neurosurgical procedures, dural closure with DuraSeal economical, 490
Cerebrovascular reserve capacity (CVRC), in long-term follow-up after SAH, 116
Cervical corpectomy, anterior cervical corpectomy with fusion, reliable procedure for CSM, S1:36
Cervical disk replacement biomechanics, 381
Cervical fracture, vertebral artery injury and brain stem infarction during lateral mass plating, 221

Cervical hematoma, postoperative, ACT monitoring, effective in reducing risk of, S1:6
Cervical spondylotic myelopathy (CSM), ACWF treatment, analysis of outcome, S1:36
Cervicothoracic spinal epidural cavernous hemangioma, 83
Cervicothoracolumbar pneumorachis, 80
Chemotherapy, for plasma cell tumors of skull, 434
Chiari I malformations (CMI)
in adults: morphometric analysis of posterior cranial fossa, 237
Lyodura graft for decompression of, 542
Chlorpromazine, failure of therapy against CJD acquired via dural graft, 542
Chronic subdural hematoma (CSDH), situation in Spain, 194
Cognitive impairment post-CEA, prevention by pretreatment with edaravone, 309
Coil embolization
transarterial, for acute traumatic vertebrojugular fistula, 335
sequential endovascular, occlusion of pseudoaneurysm and distal VA, 331
Computed tomography (CT)
3-D, -guided multitract aspiration of extensive ganglionic hemorrhage, 519
brain scans, demonstration of SAH in ACA aneurysm, 534
cavernous epidermoid cysts, investigation of, 428
cervicothoracolumbar pneumorachis, spinal scan of, 80
dissecting aneurysm of ACA, infarction revealed on investigation, 538
falcine meningiomas, calcification in, 242
percutaneous CT–guided technique to close postsurgical CSF fistulas of frontal sinus, 351
peroneal nerve palsy, osteophytic lesion in, 249
posttraumatic temporal lobe lesions, investigation of, S1:22
scan, axial, examining cranial nerve injury, 525
SPECT, examination in cortical dysplasia associated with DNT, 419
SPECT, to view areas of focally reduced HMPAO uptake, 116
subarachnoid hemorrhage in ruptured VA dissecting aneurysm, 347
Computed tomography angiography (CTA), gamma knife radiosurgery for DAVF, follow up, 392
Contralateral meningeal artery supply, indication of aggressive growth of paramedian meningiomas, 242
Corruption in medicine, 375-ed
Cortical dysplasia (CD), frequent association with DNT, epilepsy surgery for, 419
Cortical mapping, NIRS topography for physiological monitoring of cortex, 272
Cottonoids, application of, 195
Cranial neuropathy, delayed, after neurosurgery, caused by HSV reactivation, 67
Craniectomy
decompressive, for malignant MCA territory infarction, 165
Craniotomy, double concentric, for craniocerebral penetrating nail, 368
Creutzfeldt-Jakob disease (CJD) acquired via dural graft: failure of quinacrine and chlorpromazine therapy, 542
Cryoextraction, of retrobulbar intraconal orbital cavernous hemangiomas, 71
Cyst(s)
cavernous epidermoid, 428
rapid expansion of ventral arachnoid cyst after syringo-subarachnoid shunting in thoracic spinal cord, 86

D
Deep venous thrombosis (DVT) and pulmonary embolism treatment in neurosurgery, risks and benefits of differing prophylaxis regimens, 295
Digital subtraction angiography (DSA), 3 D-, detection of saccular bifurcation aneurysm, 321
Disc herniation, recurrence of, preservation of ligamentum flavum to prevent epidural fibrosis, 232
Distal anterior cerebral artery (DACA) aneurysms: bifrontal basal anterior interhemispheric approach, 315
"Doctor Scorecards", towards reducing health care costs, 90
Double concentric craniotomy for craniocerebral penetrating nail, 368
Drugs
antihypertensive, 3
time taken for targeted drugs to reach consumer market, randomized trial to go, 278
Dura mater grafts, CJD acquired via, failure of quinacrine and chlorpromazine therapy, 542
Dural arteriovenous fistulas (DAVF), radiosurgery for, 392
DuraSeal, economical for closure of postoperative cerebrospinal fluid leakage, 490
Dysembryoplastic neuroepithelial tumor (DNT), associated with CD, epilepsy surgery for, 419

E
EC-IC bypass, ruptured MCA aneurism in moyamoya disease, 261
Edaravone, prevention of postoperative cognitive impairment in CEA patients, 309
Editorial
Corruption in medicine, 375
Critical look at legalization of liberal use of high-dose narcotics: is this a reality?, 480
Enhancing medical care in the United States via health savings accounts, 276
The future of neurovascular disease, 189
The high price of innovation, 90
How can I adapt to a rapidly changing world?, 550
In this issue, 1, 99, 191, 281, 379, 475, S1:1
Introduction to molecular analysis and characterization of gliomas, 285
Preludes to a 96th birthday (Neurosurgeon Dr. Larry Pool), 372
Trends in neurosurgery in the United States, 94

When will targeted drugs reach the consumer market?, 278
Whom are we kidding?, 346
Education, impact of subspecialization on PG medical education in neurosurgery, 383
EGFR$^+$ glioblastoma, 286
Electrocorticography (ECoG), and operative microscope coupled with neuronavigator, application in epilepsy surgery, 411
Electroencephalography (EEG), scalp, examination in cortical dysplasia associated with DNT, 419
Electron microscope, evaluation of spinal cord injury, 355
Embolization
endovascular coil, combined antegrade and retrograde, for control of VA related bleeding, 331
endovascular coil, for acute traumatic vertebrojugular fistula, 335
particulate, coil, and/or absolute ethanol, before radiosurgery, in patients with DAVF, 392
transvenous, intracranial dural AVF with brain stem infarction, 341
Endoscopic sinus surgery (ESS), endonasal, combined with frontal skull base surgery, resection of skull base lesions, 44
Endoscopy
angiographic catheter for neuroendoscopic surgery, 546
evacuation of putaminal hemorrhage, 147
frontal skull base surgery combined with endonasal ESS, resection of skull base lesions, 44
Endothelin-1 (ET-1) levels in plasma and CSF of patients with CVS after aneurysmal SAH, S1:2
Endovascular management of exsanguinating vertebral artery transection, 331
Endovascular treatment of cerebral aneurysms, complications of, 12
Epidermal growth factor receptor (EGFR), in genetic investigation of GBM, 286
Epidermoid cysts of cavernous sinus, 428
Epidural fibrosis, postoperative, preservation of ligamentum flavum to prevent, 232
Epilepsy
neocortical, surgery for, 478
neuronavigator coupled with microscope and ECoG, application in surgery, 411
patients with cavernous angiomas presenting epileptic seizures, management of, 495
role of left VNS in treatment of refractory status epilepticus (SE), 170
surgery, for cortical dysplasia associated with DNT, 419
temporal lobe, risks and benefits of surgery, 381
E-selectin antibody, attenuation of SAH-induced cerebral vasospasm by, 201
Ethics
corruption in medicine, 375-ed
coiling *vs* clipping for intracranial aneurysms, 346–ed
External carotid artery (ECA) system development in moyamoya disease, MRA for evaluation of, 325

F
Failed back surgery syndrome (FBSS), surgical treatment, clinical outcome of, 483
"Failed Surgeon Syndrome", adapting to a rapidly changing world, 550-ed
Falx cerebri, congenital nature of bilateral supply of, 242
FDG-PET scanning, confirmation of metabolic changes after surgery for aneurismal SAH, 109
Fibrin tissue adhesive, for nerve repair, S1:10
Fibrinolysis, and aspiration, stereotactive removal of extensive ganglionic hemorrhage, 519
Fibrosis, and adhesions, one of the major causes of FBSS after spinal surgeries, 483
Free radical scavenger, edaravone in prevention of cognitive impairment after CEA, 309

G
Gamma knife radiosurgery
for cavernous sinus metastases and invasion, 406
dural arteriovenous fistulas, 392
for IPEH at superior orbital fissure, 266
Ganglionic hemorrhage, extensive, 3-D CT-guided multitract aspiration of, 519
Gene chips, complementary DNA and oligonucleotide microarrays, 286
Gene expression profiling, in identification of molecular subtypes of gliomas, 286
Genes for porencephaly (of mice and men), 283
Genetic fingerprints, use in different areas of oncology, 285–ed
Glioblastoma multiforme (GBM), strategy for differential immunoabsorption, 286
Glioblastoma, subsets of, implications for patient therapy, 286
Gliomas
advances in molecular analysis and characterization, 286
classification of, 286
molecular analysis and characterization of, 285–ed
Granulin$^+$ glioblastoma, 286

H
Head injury
craniocerebral penetrating nail, double concentric craniotomy for, 368
posttraumatic temporal lobe lesions, pathophysiology of, S1:22
severe, trans-cranial Doppler (TCD) in, evaluation of pattern of changes in CBF velocity and its impact on outcome, 174
Health care costs, rise in, due to medical devices and pharmaceutical agents, 90
Health care economics, costs of postoperative cerebrospinal fluid leakage, 490
Health care, quality improvement organizations (QIOs), 283
Health savings accounts (HSAs), enhancing medical care in United States, 276-ed

Hemangioma(s)
cervicothoracic spinal epidural cavernous hemangioma, 83
transconjunctival approach for retrobulbar intraconal orbital cavernous hemangiomas, 71
Hematoma evacuation, improving the efficiency of, 147
Hemorrhagic stroke, "hypertensive", 283
Herpes simplex virus (HSV) reactivation, causing delayed postoperative cranial neuropathy, 67
Hibernation in humen, the promise of hydrogen sulfide, 193
HMPAO SPECT, investigation, long-term follow-up after SAH, 116
Hospitals, participation in quality improvement organizations (QIOs), 283
Hydrocephalus
in bacterial meningitis in adults, clinical relevance of, 61
after ICH onset, IL-11 as clinical marker, 511
Hyperemia, in patients after craniotomy and decompressive procedure, 174
Hypertension, control of: thiazide-type diuretics, first-line therapy, 3
Hypoglossal nerve palsy, associated with odontoid fracture, 525

I
Imaging 3 D CE MRV compared with TOF MRV and DSA, preoperative evaluation of venous systems in brain tumors, 128
3 D digital subtraction angiography for evaluation of intracranial aneurysms, 321
near-infrared spectroscopy (NIRS) topography for physiological monitoring of cortex during cortical mapping, 272
radionuclide, cerebral microdialysis and PET after surgery for aneurismal SAH, 109
Immunohistochemical investigations, in plasma cell tumors of skull, 434
Infection
bacterial meningitis in adults, clinical relevance of hydrocephalus in, 61
CJD acquired via dural graft, need for multicenter clinical trial, 542
Inferior vena cava (IVC) filter placement, prophylaxis against DVT/PE in neurosurgery, 295
Interleukin 11 (IL-11), plasma and CSF levels of, clinical marker for spontaneous ICH patients, 511
International Subarachnoid Aneurysm Trial (ISAT)
acutely ruptured aneurysms. endovascular management, superior to surgery, 12
midterm analysis on the treatment of ruptured aneurysms, 504
results, published, 478
Intracerebral hematoma, factors affecting the outcome, grading intracerebral hemorrhage (erratum), 279
Intracerebral hemorrhage (ICH)
large, 3-D CT-guided multitract aspiration of, 519
MCA ruptured aneurysm at the site of anastomosis, EC-IC bypass for moyamoya disease, 261
primary, recurrence of ganglionic-ganglionic pattern, in Japan, 28
spontaneous, IL-11 as clinical marker, 511
Intracranial aneurysm, cerebral microdialysis and PET after surgery for aneurismal SAH, 109
Intracranial arterial stenosis, warfarin or aspirin for?, 4
Intracranial foreign body, craniocerebral penetrating nail, double concentric craniotomy for, 368
Intracranial metastases, multiple, role of stereotactic radiosurgery in management of, 207
Intracranial neoplasm, PEH of petrous and jugulare region, surgical excision of, 55
Intracranial pressure (ICP)
hyperacute measurement of, in patients with poor-grade SAH during angiography, 362
Intradural jugular tuberclectomy in inadequate extradural removal, 347
Intraoperative ultrasonography, to confirm placement of syringostomy tube, surgery for syringomyelia, 86
Intravascular papillary endothelial hyperplasia (IPEH) at superior orbital fissure: treatment with gamma knife radiosurgery, 266
Intraventricular and juxtaventricular lesions, management of, 546
Intravertebral disc displacement, repeat discectomy for, 226
Invasion, and cavernous sinus metastases, gamma knife radiosurgery for, 406

J
Japan, recurrence of primary intracerebral hemorrhage (ICH) in, 28
Japanese Orthopaedic Association (JOA) score, predictive value, prognosis of revision surgery for recurrent disc herniation, 226
Jugular tubercle, bony eminence of, intradural jugular tuberclectomy for removal of, 347

K
Karnofsky performance score, PCNS lymphoma of brain stem, response to radiosurgery, 400

L
Large basal ganglia hematomas (LBGHs), evaluation of invasiveness and efficacy of keyhole approaches to, 253
Lateral mass plating, cervical, vertebral artery injury and brain stem infarction during, 221
Legalization of liberal use of high-dose narcotics, critical look at, 480
Lesionectomy, for patients with cavernous angiomas presenting epileptic seizures, 495
Ligamentum flavum (LF), smooth dissection for lumbar microdiscectomy, 232
Lobar hemorrhage related to CAA, recurrence and extension of, clinical risk factors for, 160

Low-grade gliomas (LGG), functional MRI-guided surgical resection of, 20
Lumbar disc herniation, recurrent, repeat discectomy for, 226
Lumbar fusion, disk space maintenance, nil impact on clinical outcome, 303
Lumbar microdiscectomy
smooth dissection of ligamentum flavum (LF) for, 232
postoperative pain, oxiplex/SP gel-morphine compound in management of, 75
Lymphoma, PCNS, of brain stem, response to radiosurgery, 400
Lyodura graft for decompression of Chiari I malformation and syringomyelia, 542

M
Magnetic resonance angiography (MRA)
dissecting aneurysm of ACA, investigation of, 538
evaluation of external artery tributaries in moyamoya disease, 325
gamma knife radiosurgery for DAVF, follow up, 392
Magnetic resonance imaging (MRI)
brain stem ischemia from intracranial dural AVF, 341
cavernous epidermoid cysts, investigation of, 428
cavernous sinus metastases and invasion, diagnosis of, 406
detection of lesion in patients with medically intractable epilepsy, 411
diffusion-weighted, detection of primary brain damage in ACA territories caused by acute SAH, 135
falcine meningiomas, tumor volume of, 242
gamma knife radiosurgery for DAVF, follow up, 392
-guided surgical resection of low-grade gliomas (LGG), 20
high-resolution, examination in cortical dysplasia associated with DNT, 419
Masson tumor, diagnosis of, 55
occipitoparietal benign osteoblastoma, investigation of, 180
peroneal nerve palsy, osteophytic lesion in, 249
T1 weighted with gadolinium, investigation of plasma cell tumors, 434
Magnetic resonance venography, 3D-, contrast-enhanced, (3 D CE MRV) compared with TOF MRV and DSA, preoperative evaluation of venous systems in brain tumors, 128
Masson tumor (PEH) of petrous and jugulare region, surgical excision of, 55
Medical care, in United States, enhancing via health savings accounts, 276-ed
Medical savings accounts (MSAs), 276-ed
Melatonin, neuroprotective effects on spinal cord injury in rats, 355
Memorial, Dr. Leonard Malis, fine physiologist and superb technical surgeon, pioneer in microsurgery, 477
Meningioma(s)
sphenoid wing meningiomas (SWMs) with osseous involvement, 37
paramedian, contralateral meningeal artery supply of, 242
Meningitis, bacterial in adults, clinical relevance of hydrocephalus in, 61
Metastases
cavernous sinus, and invasion, gamma knife radiosurgery for, 406
multiple intracranial, stereotactic radiosurgery in management of newly diagnosed, 207
newly diagnosed multiple intracranial, role of stereotactic radiosurgery in management of, 207
Methylprednisolone, neuroprotective effects of, compared with melatonin, 355
Microarray, gene chips and tissue chips, for molecular characterization of human gliomas, 286
Microdialysis, cerebral and PET after surgery for aneurismal SAH, 109
Microneurosurgery, some collected principles of, 195
Middle cerebral artery (MCA)
ruptured aneurysm, at site of anastomosis, EC-IC bypass for moyamoya disease, 261
territory infarction, malignant, decompressive craniectomy for, 165
Middle cerebral artery aplasia, associated with proximal ACA and anterior communicating artery, aneurysms at, 534
Migraines, sham acupuncture, effective treatment for, 101
Molecular profiling, identification of molecular subtypes of gliomas, 286
Monoclonal antibody against anti–E-selectin, attenuation of SAH-induced cerebral vasospasm, 201
Morphin, oxiplex/SP gel-morphine compound in management of postoperative pain after lumbar microdiscectomy, 75
Moyamoya disease
EC-IC bypass surgery, ruptured middle cerebral artery aneurism in, 261
MRA for evaluation of ECA in, 325
Myeloma, multiple, treatment and prognosis of, 434
Myelopathy, spondylotic, management of, S1:36

N
Nail gun, craniocerebral penetrating, double concentric craniotomy for, 368
Narcotics, legalization of liberal use of high-dose of, critical look at, 480
National Institutes of Health Stroke Scale (NIHSS) score
decompressive craniectomy for malignant MCA, outcome of, 165
Near-infrared spectroscopy (NIRS), physiological monitoring of cortex in cortical mapping, 272
Neocortical epilepsy, surgery for, 478
Neoplasm(s)
brain neoplasm, low-grade gliomas, functional MRI-guided surgical resection of, 20
Chiari type I malformations (CMI) in adults:

morphometric analysis of PCF, 237
cortical dysplasia associated with DNT, epilepsy surgery for, 419
epidermoid cysts of cavernous sinus, 428
gliomas: advances in molecular analysis and characterization, 286
intracranial capillary hemangioma, 154
intraventricular tumors, neuropsychological findings in, 500
occipitoparietal benign osteoblastoma, radical resection of, 180
PEH of petrous and jugulare region, surgical excision of, 55
plasma cell tumors of skull, 434
Nerve regeneration, fibrin glue for better conditions than suture after sciatic nerve transection, S1:10
Nerve repair using fibrin glue, alternative to conventional suture technique, S1:10
Nerves, peripheral, peroneal nerve compression due to fibular head osteophyte-like lesions, 249
Neuroendoscopic surgery, angiographic catheter for, 546
Neuronavigator coupled with microscope and ECoG, application in epilepsy surgery, 411
Neuropsychological findings in patients with intraventricular tumors, 500
Neurosurgery
delayed postoperative cranial neuropathy caused by HSV reactivation, 67
DVT and pulmonary embolism treatment in, risks and benefits of differing prophylaxis regimens, 295
impact of subspecialization on postgraduate medical education in, 383
postoperative complication, CSF leakage, dural closure with DuraSeal economical, 490
trends in the United States, 94-ed
Neurovascular disease, future of, 189-ed

O
Odontoid fracture, and atrophy of tongue, 525
Oligemia, persistence after head injury, poor outcome, 174
Oncogenes, amplification of, 286
Oncology, use of genetic fingerprints in different areas of, 285–ed
Operative microscope coupled with neuronavigator and ECoG, application in epilepsy surgery, 411
Osteoblastoma, occipitoparietal, benign, radical resection of, 180
Osteophytes, lesion in peroneal nerve palsy, 249
Oswestry Disability Questionnaire (ODQ), postoperative mean score in surgical treatment of FBSS, 483
Oxiplex/SP gel-morphine compound, in management of postoperative pain after lumbar microdiscectomy, 75

P
P 16 and *p53*, tumor suppressor genes, 286
Pain
intractable, and functional disability after lumbar spine surgery, 483
postoperative lumbar microdiscectomy, oxiplex/SP gel-morphine-based compound in management of, 75
Papillary endothelial hyperplasia (PEH) of petrous and jugulare region, surgical excision of, 55
Paraparesis, associated with ruptured anterior cerebral artery territory aneurysms, 135
Patient(s)
with cavernous angiomas presenting epileptic seizures, management of, 495
with intraventricular tumors, neuropsychological findings in, 500
with odontoid fracture and atrophy of tongue, 525
with severe intracranial angiographic arterial caliber reduction, risk of impaired brain oxygenation, 362
Percutaneous CT–guided technique to close postsurgical CSF fistulas of frontal sinus, 351
Pericallosal artery aneurysm, visualized with 3-D DSA: treatment implications, 321
Peripheral nerve, repair of, fibrin glue, alternative to conventional suture technique, S1:10
Peroneal nerve compression due to fibular head osteophyte-like lesions, 249
Pharmaceuticals, patent protection, 90
Plasma cell tumors of skull, 434
Plasma interleukin 11 levels, clinical marker for spontaneous ICH patients, 511
Plasmacytoma, solitary or extramedullary, treatment and prognosis of, 434
Pneumorachis (PNR), cervicothoracolumbar, 80
Porencephaly (of mice and men), genes for, 283
Positron emission tomography (PET), and cerebral microdialysis after surgery for aneurismal SAH, 109
Posterior cranial fossa (PCF) in patients with CMI, morphometric analysis of, 237
Posterior lumbar interbody fusion (PLIF) and posterolateral lumbar fusion (PLF), clinical and radiological relationship between, 303
Primary central nervous system lymphoma (PCNSL) of brain stem, response to radiosurgery, 400
Prion diseases, acquired, CJD and other, need for multicenter clinical trial, 542
Progeria syndromes, reversal of the manifestation of, 193
Pseudoaneurysm, vertebral artery, involving obstructed internal jugular vein, coil embolization, 335
Pulmonary embolism (PE) and DVT treatment in neurosurgery, risks and benefits of differing prophylaxis regimens, 295
Putaminal hematoma, intracerebral effects of, 519
Putaminal hemorrhage, endoscopic evacuation of, 147

Q
Quality improvement organizations (QIOs), initiative towards quality health care, 283

Quality of life, parameter in outcome analysis of surgical procedures, S1:36
Quinacrine, failure of therapy against CJD acquired via dural graft, 542

R
Radiation therapy, for plasma cell tumors of skull, 434
Radiosurgery gamma knife, for cavernous sinus metastases and invasion, 406
gamma knife, for IPEH at superior orbital fissure, 266
management of multiple intracranial metastases, 207
for PCNS lymphoma of brain stem, 400
stereotactic, for dural arteriovenous fistulas, 392
Rankin Scale, modified (mRS) score
decompressive craniectomy for malignant MCA, outcome of, 165
Readers comments, 95, 279, 377
Recurrent herniated disk, one of the major causes of FBSS after spinal surgeries, 483
Research news and notes
antiangiogenesis for brain tumors, 101
cervical disk replacement biomechanics, 381
chronic subdural hematoma (CSDH), 194
epilepsy surgery, earlier is better, 381
genes for porencephaly (of mice and men), 283
hydrogen sulfide and the promise of human hibernation, 193
hypertension, control of: thiazide-type diuretics, first-line therapy, 3
international Subarachnoid Aneurysm Trial results published, 478
intravenous sodium nitrite prevents vasospasm, 101
Is "quality improvement" more than nice words?, 283
resident performance after heavy night call—comparison with alcohol ingestion, 478
reversal of the manifestation of a form of progeria, 193
sham acupuncture, treatment for migraines, 101
stents, change of flow within aneurysms, 381
stents for intracranial aneurysms, 3
sural nerve biopsies, should we have to do?, 194
surgery for neocortical epilepsy, 478
transplantation for stroke—is local delivery important?, 283
warfarin or aspirin for intracranial arterial stenosis?, 4
Resident performance after heavy night call—comparison with alcohol ingestion, 478

S
Schwannoma, thoracic splenosis mimicking thoracic schwannoma, 185
Seizure, epileptic, presented by patients with cavernous angiomas, management of, 495
Sham acupuncture, effective treatment for migraines, 101
Shunt tubing migration, complications of, ventricular catheter tack-down suture, 270
Single-photon emission computed tomography (SPECT) examination in cortical dysplasia associated with DNT, 419
to view areas of focally reduced HMPAO uptake, 116
Skull base, epidermoid cysts of cavernous sinus, 428
Skull base fracture, possibility in patient with spinal pneumorachis, 80
Skull, plasma cell tumors of, 434
Sphenoid wing meningiomas (SWMs), with osseous involvement, 37
Sphenopalatine ganglion stimulation, in SAH, reversal of cerebral vasospasm by, 5
Spinal cord injury (SCI)
DVT/PE in, inferior vena cava (IVC) filter placement for, 295
in rats, neuroprotective effects of melatonin, 355
traumatic, neuroprotective effects of z-DEVD.fmk, 213
Spinal fractures, C2 fractures with concomitant lower cranial nerve injury, 525
Spinal instability, one of the major causes of FBSS after spinal surgeries, 483
Spine
cervicothoracic spinal epidural cavernous hemangioma, 83
cervicothoracolumbar pneumorachis, 80
CSM treated by ACWF, S1:36
failed back surgery syndrome, surgical treatment, clinical outcome of, 483
odontoid fracture and atrophy of tongue, 525
PLIF and PLF, clinical and radiological relationship between, 303
rapid expansion of ventral arachnoid cyst after syringo-subarachnoid shunting in thoracic spinal cord, 86
recurrent lumbar disc herniation treated with repeat discectomy, outcome of, 226
smooth dissection of ligamentum flavum (LF) for lumbar microdiscectomy, 232
spinal cord injury (SCI), traumatic, neuroprotective effects of z-DEVD.fmk, 213
spinal cord injury in rats, neuroprotective effects of melatonin, 355
spondylodiscitis, diagnosis and treatment of, 103
thoracic splenosis mimicking thoracic schwannoma, 185
vertebral artery injury and brain stem infarction during cervical lateral mass plating, 221
Spondylodiscitis, diagnosis and treatment of, 103
Spondylosis, cervical, treatment by ACWF, S1:36
STA-MCA bypass, direct revascularization through, preventing hemorrhage in moyamoya disease, 261
Status epilepticus (SE), role of left VNS in treatment of, 170
Stem cells, human embryonic, bone-marrow derived, intracerebral transplantation and intravenous delivery of, 283
Stents
change of flow within aneurysms, 381
for intracranial aneurysms, 3

Stereotactic aspiration, 3-D CT-guided multitract, for removal of extensive ganglionic hemorrhage, 519
Stroke, thromboembolic, and vessel perforation, risks of endovascular treatment of cerebral aneurysms after SAH, 12
Subarachnoid hemorrhage (SAH)
aneurismal, cerebral microdialysis and PET after surgery for, 109
-associated CVS, endothelin-1, in pathogenesis of, S1:2
dog model of, reversal of cerebral vasospasm by sphenopalatine ganglion stimulation in, 5
endovascular treatment of cerebral aneurysms after, risks of, 12
-induced cerebral vasospasm, attenuation by E-selectin antibody, 201
long-term effects of TBA for vasospasms after SAH, 122
low cerebrovascular reserve capacity in long-term follow-up after SAH, 116
Subdural grid electrode (SGE), cortical stimulation for identifying eloquent areas before surgery, 272
Subdural hematoma (SDH), acute, caused by angiographically unvisualized ruptured aneurysm, 144
Sural nerve biopsy, neurosurgeons to be selective, 194
Surgery
bariatric, incidence of DVT/PE in, 295
cavernous epidermoid cysts, subtotal resection for postoperative improvement, 428
cervical disk replacement biomechanics, 381
cervical lateral mass plating, vertebral artery injury and brain stem infarction during, 221
colorectal, incidence of DVT/PE in, 295
cranial, risks and benefits of prophylaxis regimens in prevention of DVT and PE hemorrhage, 295
double concentric craniotomy for craniocerebral penetrating nail, 368
EC-IC bypass, ruptured MCA aneurism in moyamoya disease, 261
epilepsy surgery for cortical dysplasia associated with DNT, 419
for aneurismal SAH, cerebral microdialysis and PET after, 109
for neocortical epilepsy, 478
frontal skull base surgery combined with endonasal ESS, resection of skull base lesions, 44
gamma knife radiosurgery for IPEH at superior orbital fissure, 266
LBGH, frontal approach advantageous, 253
lesionectomy, for patients with cavernous angiomas presenting epileptic seizures, 495
neuroendoscopic, angiographic catheter for, 546
orthopedics, incidence of DVT/PE in, 295
peripheral nerve, peroneal nerve compression due to fibular head osteophytic lesions, 249
posterior transpetrosal approach, resection of AVM in middle cerebellar peduncle, 50
recurrent lumbar disc herniation, repeat discectomy for, 226
spinal, risks and benefits of prophylaxis regimens in prevention of DVT and PE hemorrhage, 295
Surgical technique
angiographic catheter for neuroendo-scopic surgery, 546
balloon reconstruction for direct CCF, hydrocoil-assisted revision after, 140
clipping for small ruptured aneurysms of anterior circulation, 504
DACA aneurysms: bifrontal basal anterior interhemispheric approach, 315
endoscopic evacuation of putaminal hemorrhage, 147
intradural jugular tuberclectomy in inadequate extradural removal, 347
lesionectomy, application of neuronavigator coupled with microscope and ECoG, 411
lumbar microdiscectomy, postoperative pain, oxiplex/SP gel-morphine compound in management of, 75
microneurosurgery, some collected principles of, 195
MRV and digital subtraction angiography for preoperative evaluation of venous systems, 128
nerve repair, fibrin glue, alternative to conventional suture technique, S1:10
NIRS topography, physiological monitoring of cortex during cortical mapping, 272
percutaneous CT–guided technique to close postsurgical CSF fistulas of frontal sinus, 351
smooth dissection of ligamentum flavum (LF) for lumbar microdiscectomy, 232
transconjunctival approach for retrobulbar intraconal orbital cavernous hemangiomas, 71
ventricular catheter tack-down suture, for shunt tubing migration complications, 270
Syringomyelia
lyodura graft for decompression of, 542
unusual balance of CSF dynamics between occult arachnoid cyst and, 86
Syringo-subarachnoid shunting in thoracic spinal cord, rapid expansion of ventral arachnoid cyst after, 86

T
Technical note
3-D CT-guided multitract aspiration of extensive ganglionic hemorrhage, 519
double concentric craniotomy for craniocerebral penetrating nail, 368
ventricular catheter tack-down suture, for shunt tubing migration complications, 270
Temporal lobe lesions, posttraumatic, pathophysiology of, S1:22
Thiazide-type diuretics, for hypertension, 3
Thoracic spine, rapid expansion of ventral arachnoid cyst after syringo-subarachnoid shunting in, 86
Thoracic splenosis mimicking thoracic schwannoma, 185
Tissue chips, tissue microarrays, for molecular characterization of human gliomas, 286

Tongue atrophy with odontoid fracture, 525
Transcondylar approach, followed by intradural jugular tuberclectomy, in ruptured VA dissecting aneurysm, 347
Transconjunctival approach for retrobulbar intraconal orbital cavernous hemangiomas, 71
Trans-cranial Doppler (TCD), in severe head injury, evaluation of pattern of changes in CBF velocity and its impact on outcome, 174
Transection, vertebral artery, exsanguinating, endovascular management of, 331
Transluminal balloon angioplasty (TBA), for vasospasms after SAH, long-term effects of, cerebral blood flow and reactivity analyses, 122
Transplantation for stroke—is local delivery important?, 283
Trauma
  craniocerebral penetrating nail, double concentric craniotomy for, 368
  pathophysiology of posttraumatic temporal lobe lesions, S1:22
  trans-cranial Doppler (TCD) in severe head injury, evaluation of pattern of changes in CBF velocity and its impact on outcome, 174
  traumatic hypoglossal nerve palsy, associated with odontoid fracture, 525
  penetrating craniocervical, high-flow vertebrojugular fistula, transarterial coil embolization for, 335
Traumatic air myelogram, cervicothoracolumbar pneumorachis, 80
Traumatic hypoglossal nerve palsy, associated with odontoid fracture, 525
Tumor suppressor genes
  alterations of, 286
  p 16 and *p53*, 286
Tumor(s)
  epidermoid cysts of cavernous sinus, 428
  falcine meningiomas, 242
  intraventricular, neuropsychological findings in patients with, 500
  IPEH at superior orbital fissure, gamma knife radiosurgery for, 266
  origin of metastases and invasion, 406
  papillary endothelial hyperplasia of petrous and jugulare region, surgical excision of, 55
  PCNS lymphoma of brain stem, radiosurgery for, 400
  peroneal nerve palsy, fibular head osteophytic lesion in, 249
  plasma cell tumors of skull, 434
  skull base, frontal skull base surgery combined with endonasal ESS, resection of, 44
  WHO classification of, 286

U
Ulnar nerve compression at the elbow in patients submitted to anterior transposition surgery, arcade of Struthers, S1:17
United States, enhancing medical care via health savings accounts in, 276-ed

V
Vagal nerve stimulation (VNS), left, role of, in treatment of refractory status epilepticus (SE), 170
Vascular endothelial growth factors (VEGFs)
  activation/inactivation of, 285–ed
  high expression of, 242
Vasospasm(s)
  after SAH, long-term effects of TBA for, 122
  cerebral, reversal of, by sphenopalatine ganglion stimulation in SAH, 5
  early onset in head injury, poor outcome, 174
  prevention by intravenous sodium nitrite, 101
Venous sinus, preoperative evaluation of, 3D CEMRV compared with TOF MRV and digital subtraction angiography, 128
Ventral arachnoid cyst, rapid expansion after syringo-subarachnoid shunting in thoracic spinal cord, 86
Ventricular catheter tack-down suture, for complications of shunt tubing migration, 270
Vertebral artery (VA)
  pseudoaneurysm, involving obstructed internal jugular vein, coil embolization, 335
  transection, bleeding, safe management by endovascular combined approach, 331
Vertebral artery occlusion, due to poor surgical technique in cervical lateral mass plating, 221
Vertebrojugular fistula, acute traumatic, endovascular coil embolization, 335

W
Warfarin or aspirin for intracranial arterial stenosis?, 4
Warfarin-Aspirin Symptomatic Intracranial Disease (WASID) trial, 4

Z
z-DEVD.fmk, neuroprotective effects on traumatic spinal cord injury, 213